

Amendments to the Claims:

This listing of claims will replace all prior listings of the claims in the application:

Listing of Claims:

1. (currently amended) A method of establishing an interface between a service and an application comprising:
 - providing a framework, the framework interfacing directly to the service and the framework directly interfacing to the application;
 - registering the service with the framework; and
 - generating a unique request identification;
 - appending the unique request identification to a content file;
 - returning the content file to the service; and
 - providing service information from the framework to the application.
2. (original) The method of establishing an interface between a service and an application of claim 1 further comprising:
 - providing a configuration file from the service to the framework.
3. (original) The method of establishing an interface between a service and an application of claim 2 wherein the configuration file is written in an extensible markup language.
4. (original) The method of establishing an interface between a service and an application of claim 2 wherein the framework processes the configuration file as part of the registering of the service.
5. (original) The method of establishing an interface between a service and an application of claim 2 wherein the configuration file is further comprised of extensible style-sheet markup language transformation files.
6. (original) The method of establishing an interface between a service and an application of claim 2 wherein the configuration file further comprises:
 - predefined user interfaces;

a list of target applications that are supported;
a list of transformations that are supported; and
a list of application specific handlers.

7. (original) The method of establishing an interface between a service and an application of claim 6 wherein the configuration file is written in an extensible markup language.

8. (original) The method of establishing an interface between a service and an application of claim 6 wherein the configuration file is further comprised of extensible style-sheet markup language transformation files.

9. (currently amended) A system of establishing an interface between a service and an application comprised of:

a framework interfacing directly to the service and the application,
wherein the framework
registers the service, and
generates a unique request identification;
appends the unique request identification to a content file;
returns the content file to the service; and
provides service information to the application.

10. (original) The system of establishing an interface between a service and an application of claim 9 wherein the service provides a configuration file to the framework.

11. (original) The system of establishing an interface between a service and an application of claim 10 wherein the configuration file is written in an extensible markup language.

12. (original) The system of establishing an interface between a service and an application of claim 10 wherein the configuration file is further comprised of extensible style-sheet markup language transformation files.

13. (original) The system of establishing an interface between a service and an application of claim 10 wherein the framework processes the configuration file as part of the registering of the service.

14. (original) The system of establishing an interface between a service and an application of claim 10 wherein the service provides a configuration file to the framework, wherein the configuration file further comprises of:

- predefined user interfaces;
- a list of target applications that are supported;
- a list of transformations that are supported; and
- a list of application specific handlers.

15. (original) The system of establishing an interface between a service and an application of claim 14 wherein the configuration file is written in an extensible markup language.

16. (original) The system of establishing an interface between a service and an application of claim 14 wherein the configuration file is further comprised of extensible style-sheet markup language transformation files.

17. (currently amended) A computer system comprising:

- a processor;
- a computer;
- computer readable medium coupled to the processor; and
- computer code encoded in the computer readable medium, configured to cause the processor to:
 - providing a framework, the framework interfaced directly to a service and the framework directly interfacing to an application;
 - registering the service to the framework; and
 - generating a unique request identification;
 - appending the unique request identification to a content file;
 - returning the content file to the service; and
 - providing service information from the framework to the application.

18. (original) The computer system of claim 17 wherein the computer code is further configured to cause the processor to:

provide a configuration file from the service to the framework.

19. (original) The computer system of claim 18 wherein the configuration file is written in an extensible markup language.

20. (original) The computer system of claim 18 wherein the framework process the configuration file as part of registering the service.

21. (original) The computer system of claim 18 wherein the configuration file is further comprised of extensible style-sheet markup language transformation files.

22. (original) The computer system of claim 18 wherein the configuration file further comprises:

predefined user interfaces;
a list of target applications that are supported;
a list of transformations that are supported; and
a list of application specific handlers.

23. (original) The computer system of claim 18 wherein the configuration file is written in an extensible markup language.

24. (original) The computer system of claim 18 wherein the configuration file is further comprised of extensible style-sheet markup language transformation files.

25. (currently amended) An apparatus for establishing an interface between a service and an application comprising:

means for providing a framework, the framework interfacing directly to the service and the framework directly interfacing to the application;

means for registering the service with the framework; and

means for generating a unique request identification;

means for appending the unique request identification to a content file;

means for returning the content file to the service; and

means for providing service information from the framework to the application.

26. (original) The apparatus of claim 25 further comprising:
means for providing a configuration file from the service to the framework.

27. (original) The apparatus of claim 26 wherein the configuration file is written in an extensible markup language.

28. (original) The apparatus of claim 26 wherein the framework processes the configuration file as part of the means for registering the service with the framework.

29. (original) The apparatus of claim 26 wherein the configuration file is further comprised of extensible style-sheet markup language transformation files.

30. (original) The apparatus of claim 26 wherein the configuration file further comprises:

- predefined user interfaces;
- a list of target applications that are supported;
- a list of transformations that are supported; and
- a list of application specific handlers.

31. (original) The apparatus of claim 26 wherein the configuration file is written in an extensible markup language.

32. (original) The apparatus of claim 26 wherein the configuration file is further comprised of extensible style-sheet markup language transformation files.

33. (currently amended) A computer program product encoded in computer readable media, the computer program product comprising:

- a first set of instructions, executable on a computer system, configured to provide a framework, the framework interfacing directly to the service and the framework directly interfacing to the application;

a second set of instructions, executable on the computer system, configured to register the service with the framework, wherein the second set of instructions further generates a unique request identification, appends the unique request identification to a content file, returns the content file to the service; and

a third set of instructions, executable on the computer system, configured to provide service information from the framework to the application.

34. (original) The computer program product of claim 33 further comprising:

a fourth set of instructions, executable on the computer system, configured to provide a configuration file from the service to the framework.

35. (original) The computer program product of claim 34 wherein the configuration file is written in an extensible markup language.

36. (original) The computer program product of claim 34 wherein the framework processes the configuration file as part of the second set of instructions.

37. (original) The computer program product of claim 34 wherein the configuration file is further comprised of extensible style-sheet markup language transformation files.

38. (currently amended) The computer program product of claim 34 wherein the configuration file further comprises of:

- predefined user interfaces;
- a list of target applications that are supported;
- a list of transformations that are supported; and
- a list of application specific handlers.

39. (original) The computer program product of claim 38 wherein the configuration file is written in an extensible markup language.

40. (original) The computer program product of claim 38 wherein the configuration file is further comprised of:

extensible style-sheet markup language transformation files.